

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	29	("20010008534" "20010028644" "20010040042" "20020007490" "20020018491" "20020027876" "20020027927" "20020039359" "20020044597" "20020056137" "20020080933" "20020097105" "20020167970" "20030012362" "20030142759").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:45
S2	314	370/536.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:40
S3	49	S2 and (inverse near5 multiplex\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 18:31
S4	16	S3 and (DS3 or E3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:56
S5	7	S4 and ((packet adj3 index\$3) or (sequenc\$3 adj3 number\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:44
S7	31	(inverse adj2 multiple\$3) and dsl and (DS3 or T3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:56
S9	231	(inverse adj2 multiple\$4) and (DS3 or T3 or E3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 10:41
S10	108	(inverse adj2 multiple\$4) and modem and (DS3 or T3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 10:50
S11	54	(inverse adj2 multiple\$4) and dsl and (DS3 or T3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:56

EAST Search History

S13	2517	(inverse near5 (multiplex\$3 or mux)) or imux	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 18:32
S14	318	S13 and (DS3 or E3 or T3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 12:23
S15	120	S14 and ((twisted adj2 pair) or copper)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 07:17
S16	0	atkino.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:05
S17	27	actelis.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 08:38
S18	2	"5608733".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 10:19
S19	7	"617363".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 11:28
S20	6	"510550".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 12:57
S21	2	"6421296".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 12:58
S22	108	(inverse adj2 multiple\$4) and modem and (DS3 or T3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 17:28

EAST Search History

S23	67	S22 and loop\$back	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 17:46
S24	2820	loop\$back and code and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 17:48
S25	1	(identify near loop\$back near code) and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 17:48
S26	236	(loop\$back with code) and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 17:51
S27	3158	(loop\$back with (code or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 17:52
S28	618	(loop\$back with (code or signal)) and intermediate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 17:53
S29	215	(loop\$back with (code or signal)) and intermediate and maintenance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 17:53
S30	419	(loop\$back with (code or signal)) and intermediate and test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 07:25
S31	419	(loop\$back with (code or signal)) and intermediate and test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 16:35
S33	275	S31 and (consecutive or repeat\$3 or row)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 16:27

EAST Search History

S34	2	"6657963".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 16:28
S35	2	"6657953".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 16:28
S36	108	(DS3 and loop\$back with (code or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 16:52
S37	40	(DS3 and loop\$back with (code or signal)) and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 16:52
S38	2	"3692964".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 17:42
S39	2524	(inverse near5 (multiplex\$3 or mux)) or imux	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 16:56
S40	158	S39 and (DS3 or E3 or T3) and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 12:24
S41	33	S39 and (DS3 or E3 or T3) and packet adj2 (number or sequence or index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 12:49
S42	72	S39 and (DS3 or E3 or T3) and packet near5 (number or sequence or index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:07
S43	7	S39 and ((multilink adj2 point\$to\$point) or mlptp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:36

EAST Search History

S44	7	S43 and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 12:55
S45	4	S43 and packet near5 (number or index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 12:56
S46	12	("4470112" "4631534" "4704606" "4958341" "5140582" "5179556" "5293378" "5764624" "5784357" "5949778" "6026092" "6148010").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 13:59
S47	85	S39 and (DS3 or E3 or T3) and packet with (number or sequence or index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 16:27
S48	44	((multilink adj2 point\$to\$point) or mlptp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:56
S49	2	"6754714".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 15:00
S50	2	"6160808".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 15:00
S51	360	S39 and packet with (number or sequence or index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 16:58
S52	33867	(inverse near5 (multiplex\$3 or mux)) or imux or (load adj2 balanc\$3) or (load adj2 shar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 16:57

EAST Search History

S53	4309	S52 and packet with (number or sequence or index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 17:13
S54	29	S52 and segmentation and reassembly and resequencing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 17:14
S55	888	loop\$back and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 10:29
S56	55	loop\$back and repeater and ds3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 10:58
S57	2	loop\$back and repeater and ds3 and FEAC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 11:04
S58	12	loop\$back and repeater and ds3 and (number adj2 times)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 11:11
S60	71	loop\$back and ds3 and (number adj2 times)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 11:13
S61	340	loop\$back and ds3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 11:14
S62	55	loop\$back and ds3 and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 11:37
S63	46	loop\$back and ds3 and repeater and test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 12:06

EAST Search History

S64	2	"6958908".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 12:07
S65	2	"3692964".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 13:26
S68	912	repeater and active and stand\$by	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 13:28
S69	701	repeater and active and stand\$by and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 13:29
S70	123	repeater and (active same stand\$by same switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 13:29
S71	2	repeater and non\$repeater with (switch or selector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:14
S72	2337	repeater and terminal with (switch or selector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 07:27
S73	73	repeater and terminal with (switch or selector) and ds3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 07:27
S74	3665	repeater and (non\$repeater or terminal or end\$station) with (switch or select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 07:39
S75	290	repeater and (non\$repeater or terminal or end\$station) with (switch or select\$3) and (ds3 or t3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 08:30

EAST Search History

S76	17	repeater and (non\$repeater or (terminal adj station) or (end adj2 station) or (line adj terminal)) with (switch or select\$3) and (ds3 or t3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 08:41
S77	392	repeater and (non\$repeater or (terminal adj station) or (end adj2 station) or (line adj terminal)) with (switch or select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 09:03
S78	20	"same" with (module or unit or circuit) with (repeater and ((line adj2 (terminal or unit) or (end adj2 station))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 09:35
S79	1	"same" with (module or unit or circuit) with (repeater and ((line adj2 (terminal or unit) or (end adj2 station)))) with (selector or switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 09:19
S80	42919	"same" with (module or unit or circuit) with (repeater adj station) and (terminal adj2 station) or (line adj2 terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 09:37
S81	12	"same" with (module or unit or circuit) with (repeater adj station) and ((terminal adj2 station) or (line adj2 terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 09:38
S82	6	"same" with (module or unit or circuit) with (repeater adj station) with ((terminal adj2 station) or (line adj2 terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:12
S84	2	repeater with (end adj unit) with (switch or selector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:15
S85	91	repeater with (terminal adj (unit or station)) with (switch or selector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:23
S86	4	repeater with (terminal adj (unit or station)) with using with "same" with (module or unit or circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:25

EAST Search History

S87	30	repeater with (terminal adj (unit or station)) with "same" with (module or unit or circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:54
S88	3	repeater with (terminal adj (unit or station)) with "same" with (module or unit or circuit) with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:56
S89	9512	repeater and configur\$5 and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:57
S90	213	repeater with configur\$5 with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 11:05
S92	448667	repeater with (end adj unit) or (terminal adj2 (unit or station))(configur\$5 or select\$4) with (switch or (dip adj switch) or conmutator or bridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 11:13
S97	57041	repeater with (end adj unit) or (terminal adj2 (unit or station))(configur\$5 or select\$4) with (switch or (dip adj switch) or conmutator or bridge) and west and east	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 11:14
S10 0	311	repeater and (dip adj switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 11:17
S10 1	104	repeater and (dip adj switch)and ("370".clas. or "455".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 11:25
S10 2	80	repeater and (dip adj switch)and ("370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 12:31

EAST Search History

S10 3	42	repeater and (dip adj switch)and ("455".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 12:41
S10 4	311	repeater and (dip adj switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 12:57
S10 5	15351	repeater and (switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 12:57
S10 6	3402	repeater and (switch) and "370". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 12:57
S10 7	3402	repeater and switch and "370". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 12:57
S10 8	126569	repeater and switch and "370". clas. and t1 or e1 or ds3 or pcm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 12:58
S10 9	1089	repeater and switch and "370". clas. and (t1 or e1 or ds3 or pcm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 13:01
S11 0	1092	repeater and (switch or jumper)and "370".clas. and (t1 or e1 or ds3 or pcm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 13:01
S11 1	55	repeater and ((dip adj switch) or jumper)and "370".clas. and (t1 or e1 or ds3 or pcm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 13:17
S11 2	13	repeater and ((dip adj switch) or jumper)and "370".clas. and east and west	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 13:44

EAST Search History

S11 3	106	repeater and ((dip adj switch) or jumper)and "370".clas. and local and remote	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 13:45
S11 4	97	repeater and terminal and local and remote and dip adj switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:37
S11 5	11	back adj3 back adj2 repeaters	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:40
S11 6	6	ds3 near3 repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:48
S11 7	103	two\$wire near5 repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:07
S11 8	62	(ds3 or t3) near5 repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:08
S11 9	27	actelis.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:26
S12 0	3159	(loop\$back with (code or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:20
S12 1	38	S120 and dip adj switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:21
S12 2	0	actelis.as. and dip adj switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:35

EAST Search History

S12 3	5161	dsl adj modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:35
S12 4	233	dsl adj modem and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:39
S12 5	56	dsl near5 repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:58
S12 6	1924	repeater with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:59
S12 7	430	S126 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:03
S12 8	6	S127 and ds3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:00
S12 9	135	S126 and "370".clas. and (twisted or copper) adj pair	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:04
S13 0	2	"6101172".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 10:10
S13 1	230	1:1 adj protection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:44
S13 2	46	1:1 adj protection and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:33

EAST Search History

S13 3	452	(1:1 or 1+1) adj protection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:45
S13 4	63	(1:1 or 1+1) adj protection and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:47
S13 5	0	(1:1 or 1+1) adj protection with chassis and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:48
S13 6	1	(1:1 or 1+1) adj protection with chassis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 15:42
S13 7	44	c-bit and loopback	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 15:55
S13 8	10	c-bit and (ds3 with loopback)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 15:56
S13 9	752	(tsatsanis itri lao).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:08
S14 0	1	S139 and ds3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 14:57
S14 1	41	S139 and copper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 14:57
S14 2	30	(tsatsanis).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:18

EAST Search History

S14 3	2	"5181198".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:20
S14 4	2	"5381412".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 08:40
S14 6	2	"5619505".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 08:40
S14 9	2	"5065396".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 09:20
S15 0	24	ds3 with (four S146) adj2 channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 09:47
S15 1	4	"4322844".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 09:42
S15 2	361	(ds3 t3) same (four S146) adj4 (channel link circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 09:49
S15 3	116	(ds3 t3) with (four S146) adj4 (channel link circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 09:49
S15 4	5	aktino.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:21
S15 5	2546808	"45" mbit same "13" mbit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:21

EAST Search History

S15 6	0	"45" adj mbit same "13" adj mbit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:22
S15 7	0	("45" adj mbit) same ("13" adj mbit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:22
S15 8	355	("45" adj m) same ("13" adj m)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:23
S15 9	3	("45" adj mb) same ("13" adj mb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:19
S16 0	4521	framer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:19
S16 1	48	framer and stream adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 10:26
S16 2	988	framer same number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:26
S16 3	30	framer with (stream link circuit channel) adj2 number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:27
S16 5	2	(inverse adj multiplex\$3)and (framer with (stream link circuit channel) adj2 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:28

EAST Search History

S16 6	17	("5875192" "5905781" "6002670" "6005873" "6021158" "6084885" "6310894" "6404861" "6452942" "6480487" "6499061" "6501770" "6580727" "6618374" "6775305" "6781985" "6801539").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/03 15:40
S16 7	17	("5875192" "5905781" "6002670" "6005873" "6021158" "6084885" "6310894" "6404861" "6452942" "6480487" "6499061" "6501770" "6580727" "6618374" "6775305" "6781985" "6801539").PN. OR ("7092412"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/04 10:45
S16 8	105	(ds3 t3) and "11" adj Mbps	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/04 15:02
S16 9	1	(ds3 t3) with "11" adj Mbps	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/04 10:48
S17 0	4	(ds3 t3) with "4" adj links	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/04 10:48
S17 1	230	(inverse adj2 multiple\$4) and (DS3 or T3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 10:50
S17 2	49	(inverse adj2 multiple\$4) with (DS3 or T3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 13:14
S17 3	4	(inverse adj2 multiple\$4) with (DS3 or T3) with ("4" or four)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 13:19
S17 4	830	(DS3 or T3) with ("4" or four) with ("11" or eleven)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 13:22

EAST Search History

S17 5	15138	(DS3 or T3) with ("4" or four)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 13:23
S17 6	128031	(DS3 or T3) with ("4" or four) znd "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 13:23
S17 7	769	(DS3 or T3) with ("4" or four) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 13:24
S17 8	228	(DS3) with ("4" or four) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 13:24
S17 9	2049	("11" "13") adj Mbps	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/04 15:04
S18 0	15	("11" "13") adj Mbps and ds3	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/04 15:04
S18 1	2	"5875192".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 16:31
S18 2	33	framer with (stream sequence link channel) adj2 number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 10:26
S18 3	128	(inverse adj2 multiple\$4) with (four "4")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 11:27
S18 4	44	(inverse adj2 multiple\$4) with (pots twisted copper analog)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 13:41

EAST Search History

S18 5	6	(inverse adj2 multiple\$4) with ((stream link) adj (number indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 13:44
S18 6	13	(inverse adj2 multiple\$4) same ((stream link) adj (number indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 13:46
S18 7	82	(inverse adj2 multiple\$4) and ((stream link) adj (number indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 10:00
S18 8	318	(inverse adj2 multiple\$4) and (overhead ("13" adj Mbps))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 15:30
S18 9	0	(inverse adj2 multiple\$4) and (("13" adj Mbps))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 15:32
S19 0	1	(inverse adj2 multiple\$4) and (("13" adj Mb\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 15:34
S19 1	318	(inverse adj2 multiple\$4) and (overhead)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:20
S19 2	191	(inverse adj2 multiple\$4) and (overhead) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 15:47
S19 3	0	"18" adj "%" with(overhead) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 15:48
S19 4	1	"18" adj2 ("% percent) same (overhead) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 15:51

EAST Search History

S19 5	2	"6490296".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 16:46
S19 6	3	"7006500".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 16:47
S19 7	102	(inverse adj2 multiple\$4) and ((stream link) adj (number identif\$6 indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 10:08
S19 8	11	(inverse adj2 multiple\$4) and (packet header) with ((stream link) adj (number identif\$6 indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 10:13
S19 9	71	(inverse adj2 multiple\$4) and (packet header) with ((stream link channel pair conductor) adj (number identif\$6 indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 10:13

EAST Search History

S20 0	52	(US-20050220180-\$ or US-20040062198-\$ or US-20030097624-\$ or US-20030048756-\$ or US-20030043753-\$ or US-20040165888-\$ or US-20060056330-\$ or US-20060203757-\$ or US-20050281268-\$ or US-20060056522-\$ or US-20030128706-\$ or US-20020176139-\$ or US-20030169780-\$ or US-20030123476-\$).did. or (US-6985503-\$ or US-7065104-\$ or US-7133441-\$ or US-4980887-\$ or US-7054376-\$ or US-6657953-\$ or US-5060226-\$ or US-3692964-\$ or US-6091738-\$ or US-5365590-\$ or US-5699353-\$ or US-5365512-\$ or US-4449247-\$ or US-5134609-\$ or US-4069402-\$ or US-5848054-\$ or US-4611324-\$ or US-5065396-\$ or US-7092412-\$ or US-6775305-\$ or US-6618374-\$ or US-6002670-\$ or US-4551830-\$ or US-5875192-\$ or US-7197031-\$ or US-7161953-\$).did. or (US-6198749-\$ or US-5787114-\$ or US-6822960-\$ or US-6205142-\$ or US-6490296-\$ or US-7006500-\$).did. or (EP-818941-\$ or WO-3096620-\$). did. or (JP-59092638-\$).did. or (EP-161900-\$ or JP-06021910-\$ or EP-143489-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/06 12:42
S20 1	8	S200 and framer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/06 12:42
S20 2	9	(inverse adj2 multiple\$4) and (overhead) with "13"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:16
S20 3	30	(inverse adj2 multiple\$4) and (overhead) with "12"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:22

EAST Search History

S20 4	29	("20010008534" "20010028644" "20010040042" "20020007490" "20020018491" "20020027876" "20020027927" "20020039359" "20020044597" "20020056137" "20020080933" "20020097105" "20020167970" "20030012362" "20030142759").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:15
S20 5	0	S204 and "64" adj2 byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:18
S20 6	0	S204 and stuff\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:16
S20 7	0	S204 and stuff\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:18
S20 8	126	(inverse adj2 multiple\$4) and stuff\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:43

EAST Search History

S20 9	52	(US-20050220180-\$ or US-20040062198-\$ or US-20030097624-\$ or US-20030048756-\$ or US-20030043753-\$ or US-20040165888-\$ or US-20060056330-\$ or US-20060203757-\$ or US-20050281268-\$ or US-20060056522-\$ or US-20030128706-\$ or US-20020176139-\$ or US-20030169780-\$ or US-20030123476-\$).did. or (US-6985503-\$ or US-7065104-\$ or US-7133441-\$ or US-4980887-\$ or US-7054376-\$ or US-6657953-\$ or US-5060226-\$ or US-3692964-\$ or US-6091738-\$ or US-5365590-\$ or US-5699353-\$ or US-5365512-\$ or US-4449247-\$ or US-5134609-\$ or US-4069402-\$ or US-5848054-\$ or US-4611324-\$ or US-5065396-\$ or US-7092412-\$ or US-6775305-\$ or US-6618374-\$ or US-6002670-\$ or US-4551830-\$ or US-5875192-\$ or US-7197031-\$ or US-7161953-\$).did. or (US-6198749-\$ or US-5787114-\$ or US-6822960-\$ or US-6205142-\$ or US-6490296-\$ or US-7006500-\$).did. or (EP-818941-\$ or WO-3096620-\$). did. or (JP-59092638-\$).did. or (EP-161900-\$ or JP-06021910-\$ or EP-143489-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/07 15:59
S21 0	12	S209 and stuff\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:18
S21 1	4	S209 and "64" adj2 byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:17
S21 2	4	S209 and (("64" adj2 byte) ("512" adj bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 10:25

EAST Search History

S21 3	69	(inverse adj multiplex\$3) and (("64" adj2 byte) ("512" adj bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:25
S21 4	18	S213 and (begin\$3 end\$3) adj3 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:27
S21 5	0	S209 and (begin\$3 end\$3) adj3 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:30
S21 6	4	S209 and multilink adj protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:30
S21 7	66	(inverse adj2 multiple\$4) and "64" adj2 byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:44
S21 8	69	(inverse adj multiplex\$3) and (("64" adj2 byte) ("512" adj bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:51
S21 9	25	S209 and "64"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/06 18:09
S22 0	69	(inverse adj multiplex\$3) and (("64" adj2 byte) ("512" adj bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 10:33
S22 1	60	(inverse adj multiplex\$3) and (("64" adj2 byte) ("512" adj bit)) and fram\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 10:34
S22 2	58	(inverse adj multiplex\$3) and (("64" adj2 byte) ("512" adj bit)) and fram\$3 and (begin\$3 start)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:58

EAST Search History

S22 3	7882	(stream link channel pair) with (number indicator identifier bit byte field) with \$wire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:01
S22 4	23	S223 and (inverse adj multiplex\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:01
S22 5	19	(identifier indicator) with (wiring adj error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:50
S22 6	118	(identifier indicator detect\$3) with (wiring adj error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:50

EAST Search History

S22 7	55	(US-20050220180-\$ or US-20040062198-\$ or US-20030097624-\$ or US-20030048756-\$ or US-20030043753-\$ or US-20040165888-\$ or US-20060056330-\$ or US-20060203757-\$ or US-20050281268-\$ or US-20060056522-\$ or US-20030128706-\$ or US-20020176139-\$ or US-20030169780-\$ or US-20030123476-\$ or US-20050008041-\$ or US-20020080825-\$).did. or (US-6985503-\$ or US-7065104-\$ or US-7133441-\$ or US-4980887-\$ or US-7054376-\$ or US-6657953-\$ or US-5060226-\$ or US-3692964-\$ or US-6091738-\$ or US-5365590-\$ or US-5699353-\$ or US-5365512-\$ or US-4449247-\$ or US-5134609-\$ or US-4069402-\$ or US-5848054-\$ or US-4611324-\$ or US-5065396-\$ or US-7092412-\$ or US-6775305-\$ or US-6618374-\$ or US-6002670-\$ or US-4551830-\$ or US-5875192-\$ or US-7197031-\$ or US-7161953-\$).did. or (US-6198749-\$ or US-5787114-\$ or US-6822960-\$ or US-6205142-\$ or US-6490296-\$ or US-7006500-\$ or US-6731678-\$).did. or (EP-818941-\$ or WO-3096620-\$). did. or (JP-59092638-\$).did. or (EP-161900-\$ or JP-06021910-\$ or EP-143489-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/07 15:59
S22 8	2	S227 and wir\$4 adj error	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/07 16:00
S23 0	2	S227 and ((wir\$4 adj error) miswir\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 08:16
S23 1	9	loopback with code with consecutive	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:09

EAST Search History

S23 2	16	loopback with code with (consecutive subsequent)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:36
S23 3	29	number with loopback with code	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:07
S23 4	5	number with times with loopback with code	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:07
S23 5	34	loopback with code with repeat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:09
S23 6	48	loopback with code with (consecutive subsequent repeat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 14:38
S23 7	2	repeater with non\$repeater with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 14:43
S23 8	254	repeater with end with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 14:40
S23 9	497	repeater with terminal with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 14:40
S24 0	4653	repeater with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 14:40
S24 1	0	repeater with non\$repeater with select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 14:43
S24 2	4	repeater with non\$repeater with configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 15:05
S24 3	97	(T3 ds3) with repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 14:59

EAST Search History

S24 4	76	S243 and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 15:00
S24 5	3650	repeater and (non\$repeater end) with (configur\$5 select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 15:13
S24 6	72	S245 and (Ds3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 15:06
S24 7	455	repeater with (non\$repeater end) with (configur\$5 select\$3 switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 15:15
S24 8	244	repeater with (non\$repeater end) with (configur\$5 select\$3 dip)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 15:24
S24 9	31	DS3 with repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 15:25
S25 0	72	inverse adj multiplex\$3 and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/11 09:14

EAST Search History

S25 1	59	(US-20050220180-\$ or US-20040062198-\$ or US-20030097624-\$ or US-20030048756-\$ or US-20030043753-\$ or US-20040165888-\$ or US-20060056330-\$ or US-20060203757-\$ or US-20050281268-\$ or US-20060056522-\$ or US-20030128706-\$ or US-20020176139-\$ or US-20030169780-\$ or US-20030123476-\$ or US-20050008041-\$ or US-20020080825-\$).did. or (US-6985503-\$ or US-7065104-\$ or US-7133441-\$ or US-4980887-\$ or US-7054376-\$ or US-6657953-\$ or US-5060226-\$ or US-3692964-\$ or US-6091738-\$ or US-5365590-\$ or US-5699353-\$ or US-5365512-\$ or US-4449247-\$ or US-5134609-\$ or US-4069402-\$ or US-5848054-\$ or US-4611324-\$ or US-5065396-\$ or US-7092412-\$ or US-6775305-\$ or US-6618374-\$ or US-6002670-\$ or US-4551830-\$ or US-5875192-\$ or US-7197031-\$ or US-7161953-\$).did. or (US-6198749-\$ or US-5787114-\$ or US-6822960-\$ or US-6205142-\$ or US-6490296-\$ or US-7006500-\$ or US-6731678-\$ or US-5784558-\$ or US-5726993-\$ or US-5144624-\$ or US-5437023-\$).did. or (EP-818941-\$ or WO-3096620-\$). did. or (JP-59092638-\$).did. or (EP-161900-\$ or JP-06021910-\$ or EP-143489-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 16:25
S25 2	27	S251 and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 16:19
S25 4	88	DS3 and back-to-back	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/11 09:18
S25 5	12	S254 and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/11 09:14

EAST Search History

S25 6	55	back-to-back with repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/11 09:18
S25 7	9126	repeat with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:52
S25 8	4398	repeat near5 switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:52
S25 9	1853	repeat near2 switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:52
S26 0	889	repeat near switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:53
S26 1	892	repeater near switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:58
S26 2	47	S260 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:58
S26 3	961	repeater with switch with (select control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 10:10
S26 4	183	S263 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:58
S26 5	1	non-repeater with switch with (select control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 10:09

EAST Search History

S26 6	5	repeater with (dip adj switch) with (select control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 10:12
S26 7	22	repeater with (dip adj switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 13:01
S26 8	58	repeater with west with east	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 12:42
S26 9	39	S268 and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 12:53
S27 0	23	S268 and switch with (configur\$5 select\$3 set\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 13:46
S27 1	2	(east west) with (dip adj switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 13:02
S27 2	967	(east west) with configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 13:03
S27 3	197	repeater with switch with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 13:47
S27 4	6	repeater with (dip adj switch) with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 13:49
S27 5	10	repeater same (dip adj switch) with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 13:58

EAST Search History

S27 6	10	repeater same (dip adj switch) same address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 13:58
S27 7	120	repeater and (dip adj switch) same address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:02
S27 8	26	loopback and (dip adj switch) same address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 15:40
S27 9	120	repeater and (dip adj switch) same address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:30
S28 0	1637	west and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 15:40
S28 1	119	repeater and ("2000" "2100" "2200" "2300" "2400" "2500" "2600") adj (feet ft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 14:37
S28 2	1071	data adj rate with (copper twisted)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 15:29
S28 3	363	S282 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 14:43
S28 4	27	S283 and "13" adj Mbps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 15:28
S28 6	28	"13" adj mbps with (copper twisted)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 15:29